

What is claimed is:-

1. A method of transferring resource related information from a first terminal to a second terminal of a wireless communication network, wherein at least the first terminal is a client of a server connected to an external network and also to a wireless communication network which includes the terminals, comprising the steps of the first terminal negotiating a connection with the second terminal and subsequently transferring the information over the connection.
2. A method as claimed in Claim 1, wherein the second terminal is also a client of a server connected to the external network and the information facilitates access to an external network resource by the second terminal.
3. A method as claimed in Claim 1, wherein the information comprises a URL.
4. A method as claimed in Claim 2, wherein the information comprises browser settings for use by the second terminal.
5. A method as claimed in Claim 1, wherein the information has been previously downloaded from the external network.
6. A method as claimed in Claim 5, wherein the information comprises a web page.
7. A method as claimed in Claim 1, wherein the negotiation of the connection includes specifying the bearer to be used in transporting the information to the second terminal.

8. A method as claimed in Claim 7, wherein the bearer is specified in accordance with a pre-determined user preference.
9. A method as claimed in Claim 1, wherein the connection is made via the wireless communication network.
10. A method as claimed in Claim 1, wherein the connection is made directly between the terminals.
11. A method as claimed in Claim 10, wherein the connection comprises an infra red link.
12. A method as claimed in Claim 10, wherein the connection comprises a low power radio frequency link.
13. A method as claimed in Claim 1, wherein the negotiation of the connection comprises sending a request from the first terminal to the second terminal for approval to establish a connection between the terminals and on receiving approval from the second terminal establishing the connection.
14. A method as claimed in Claim 2, wherein both terminals are using a Wireless Application Protocol and the request is sent to the second terminal using a connectionless push command.
15. A method as claimed in Claim 14, wherein the connection is established using a bearer indicated in the connectionless push command.
16. A method as claimed in Claim 1, wherein the external network resource is a server.

17. A method as claimed in Claim 2, wherein both terminals are using a Wireless Application Protocol and the resource information comprises a WAP deck.
- 5 18. A method as claimed in Claim 17, wherein the transfer of the WAP deck to the second terminal includes the step of substituting the WAP deck with a pre-existing WAP deck on the second terminal.
- 10 19. A method as claimed in Claim 18, wherein the pre-existing WAP Deck is deleted following the substitution step.
20. A method as claimed in Claim 1, wherein the external network is the Internet.
- 15 21. A wireless communication terminal arranged to access an external network resource via a wireless communication network, the terminal comprising a controller arranged to receive an input of resource related information from another terminal, wherein the controller is further arranged to negotiate a connection with the other terminal and
- 20 subsequently to receive the information over the connection.
22. A terminal as claimed in Claim 21, wherein the controller operates in accordance with a Wireless Application Protocol.
- 25 23. A terminal as claimed in Claim 22, wherein the controller is arranged to receive the resource related information via a push command.
24. A terminal as claimed in any one of Claims 21, wherein the terminal is a cellular radio telephone.
- 30 25. A wireless communication terminal arranged to access an external network resource via a wireless communication network, the terminal

comprising a controller arranged to send resource related information to another terminal, wherein the controller is further arranged to negotiate a connection with the other terminal and subsequently to send the information over the connection.

5

26. A terminal as claimed in Claim 25, wherein the controller operates in accordance with a Wireless Application Protocol.

10

27. A terminal as claimed in Claim 26, wherein the controller is arranged to send the resource related information via a push command.

28. A terminal as claimed in any one of Claims 25, wherein the terminal is a cellular radio telephone.